

REKAPITULASI DATA LAPORAN HASIL UJI PASSIVE SAMPLER TAHUN 2017

No	Lokasi	Konsentrasi Rata-rata													
		SO ₂ - µg/m ³						NO ₂ - µg/m ³							
		Periode 1	Periode 2	Periode 3	Periode 4	Periode 5	Periode 6	Rata-rata	Periode 1	Periode 2	Periode 3	Periode 4	Periode 5	Periode 6	Rata-rata
1	PT. SAMATEX	5.5	19	27	70	1.4	48	28.4833	19.5	26.2	9	9	8	18	14.95
2	PT. MCAB	0.7	23.6	35	58	129	17	43.8833	13.2	18.5	17	16	15	23	17.1167
3	PT. DHANAR MAS	1.9	1.2	25	36	1.4	25	15.0833	28	4.4	9	11	10	16	13.0667
4	PT. STANLI TRIJAYA	13.2	3.6	27	9	5	15	12.1333	51.4	15.8	14	11	10	16	19.7
5	Gedung P ngUniversitas Telkom	3.4	0.7	21	30	10	53	19.6833	14.2	14.9	15	12	18	15	14.85
6	Kantor DLH Kab. Bandung	11.3	10.2	60	1.4	6	6	15.8167	16.2	26.4	13	9	7	12	13.9333
7	Kantor Kelurahan Kencana Kec. Rancaekek	1.3	4.5	17	2	3	15	7.13333	16.1	6.4	8	7	7	15	9.91667
8	Kantor Desa Margahayu Selatan	27.8	30.4	22	1.4	1.4	21	17.3333	23.1	13.4	17	15	12	17	16.25
9	Kantor RW 05 Desa Kopo	5.8	10.1	20	1.4	1.4	12	8.45	49.6	17.7	12	12	9	13	18.8833
10	PTPN NUSANTARA VIII	31.7	21.6	25	1.4	1.4	5	14.35	13.2	11.7	0.7	1	3	3	5.43333
11	Situ Cileunca	6.9	46.3	18	1.4	3	78	25.6	8.2	17	5	4	4	4	7.03333
12	Bumi Perkemahan Batu Kuda	0.9	18.9	2	3	1.4	1.4	4.6	50.9	16.7	2	0.06	2	3	12.4433
13	POS Lalin Polsek Cileunyi	6	5.8	34	1.4	6	20	12.2	29.8	3.5	27	34	28	48	28.3833
14	Kantor Kecamatan Nagreg	5.3	11	16	1.4	2	14	8.28333	24.6	51.3	23	22	23	64	34.65
15	Jl. Raya Ciparay-Lemburawi (Masjid Agung)	0.6	24.3	-	1.4	1.4	13	8.14	13.8	34.5	-	18	19	25	22.06